

# 130 LSB-RG PF

# MATERIAL SAFETY DATA SHEET

#### 1 . IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product name: RICOH THERMAL PAPER TYPE 130 LSB-RG PF

1.2. Company name: RICOH INDUSTRIE FRANCE S.A.S.

Address: 144, route de Rouffach

68920 WETTOLSHEIM COLMAR

FRANCE

Weight (%)

Telephone number for information: +33 (0)3 89 20 40 00 Emergency telephone number: +33 (0)3 89 20 41 34

## 2 . HAZARDS IDENTIFICATION

Not hazardous according to our knowledge.

## 3 . COMPOSITION/INFORMATION ON INGREDIENTS

| Base paper:            | 89-95     |
|------------------------|-----------|
| Amino-Phenyl compound: | 1.0-2.5   |
| Inorganic filler:      | 1.0-2.0   |
| Organic filler:        | 2.0 -4.0  |
| Organic polymer:       | 1.0-3.0   |
| Leuco dye:             | 0.3-1.0   |
| Resin:                 | 0.05-0.15 |
| Others:                | 0-0.5     |



#### 4 . FIRST AID MEASURES

Inhalation: It is unlikely that emergency treatment will be required. If adverse effects

occur, remove from exposure, treat symptomatically and supportively and

get medical attention.

Skin contact: It is unlikely that emergency treatment will be required. If adverse effects

occur, remove from exposure, treat symptomatically and supportively and

get medical attention.

Eye contact: Wash eyes with large amounts of water, until no evidence of paper remains

(at least 15 minutes). Get medical attention if adverse effects occur.

<u>Ingestion</u>: It is unlikely that emergency treatment will be required. If adverse effects

occur, remove from exposure, treat symptomatically and supportively and

get medical attention.

#### 5 . FIREFIGHTING MEASURES

Extinguishing media: Water spray, foam, and water

Hazardous combustion

Products: Thermal decomposition products may include toxic oxides of carbon

for example, carbon mono oxide.

Fire and

explosion hazard: Fire hazard when exposed to heat or flame. No explosion hazard, as

long as there is no formation of dust-air mixture.

<u>Fire fighting:</u> Prevent inhalation of gases during fire. Do not scatter spilled material with high-

pressure streams. Dike fire-control water for later disposal.

## 6 . ACCIDENTAL RELEASE MEASURE

Collect material for recycling or disposal as used thermal paper.

## 7 . HANDLING AND STORAGE

Handling: Should only be transported with proper Storage: Temperature should not exceed 25°C

Relative humidity should be less than 60 %.

No exposure to direct sunlight as well as direct exposure to UV rays;

Avoid water contact;

No contact with solvents or solvent agents such as adhesives and cosmetics;

No contact with aggressive gas like NOx or vapor of organic solvent; No exposure to any strong mechanical or physical friction process

140 exposure to any strong mechanical or physical michor proces

such as scratches.



#### 8 . EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Eye protection:</u> Not necessary

<u>Protective clothing:</u> Not necessary

<u>Gloves:</u> Not necessary

Other: Safety shoes are recommended if one's work requires handling and

removing heavy paper reels.

#### 9 . PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Coated paper

#### 10 . STABILITY AND REACTIVITY

<u>Stability</u>: Stable under normal temperature and moisture conditions.

Conditions to avoid: May burn but does not ignite easily. Avoid contact with strong oxidisers, exces

sive heat, sparks, or open flame.

#### 11 . TOXICOLOGICAL INFORMATION

LD50 (oral): > 2000 mg/Kg => According to OECD guidelines: 401
Skin irritation (Rabbit): Not irritant => According to OECD guidelines: 404
Mutation (Ames test): No mutagenic activity => According to OECD guidelines: 471
Sensitivity test: No sensitivity => According to Buehler test method

## 12 . ECOLOGICAL INFORMATION

There is no data available on ecological consequences of release of this product into the environment.

## 13 . DISPOSAL CONSIDERATIONS

The product is fit for recycling or burning but anyhow, the product should be disposed according to the local regulation.



#### 14 . TRANSPORT INFORMATION

No classification currently assigned.

## 15 . REGULATORY INFORMATION

There is no regulatory information for this product.

#### 16 . OTHER INFORMATION

- 130 LE+ PF product conforms to the directive on Packaging and Packaging waste 94/62 EC.

This Material Safety Data Sheet has been established in accordance with the applicable European Directives including the Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACh), and applies to all countries that have translated the Directives in their national laws.

The information and recommendations contained herein are, to the best of our knowledge and belief, accurate and reliable as of the data issued. We do not warrant or guarantee their accuracy or reliability, and we shall not be liable for any loss or damage arising out of the use thereof.

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.