

**MATERIAL SAFETY DATA SHEET**  
In dependence on regulation (EC) No. 1907/2006\*

**130 TLA <150µm>**

Revision date: 11.05.2016

**1. Identification of the substance/mixture and of the company/undertaking**

1.1. Product name: **RICOH THERMAL PAPER TYPE 130 TLA <150µm>**

1.2. Company name: RICOH INDUSTRIE FRANCE S.A.S.  
Address: 144, route de Rouffach  
68920 WETTOLSHEIM COLMAR  
FRANCE

Telephone number for information: +33 (0)3 89 20 40 00

Emergency telephone number: +33 (0)3 89 20 41 34

**2. Hazards identification**

Not classified as a dangerous product.

**3. Composition/information on ingredients**

**Chemical Character:**

The 130 TLA <150µm> quality consists of wood free base paper, made from ECF (elementary chlorine free) pulp, with a specially treated clay undercoat, a thermal sensitive coating and a protective «top-coat» covering the thermal layer.

The main chemical components in the thermal layer are wax-type materials, colour former, colour developer and additives which adjust the melting process according to the requirements of the various print heads. The components are fixed on the base paper by a binder. For better thermal printing characteristics as well as better performance of the coating process various other additives and pigments (like calcium carbonate or clay) are added into the coating mixture.

#### 4. First aid measures

<b>General advice:</b>	none
<b>After inhalation:</b>	void
<b>After skin contact:</b>	void
<b>After eye contact:</b>	void
<b>After swallowing:</b>	void

#### 5. Firefighting measures

**Extinguishing media:** any fire extinguisher may be used.

**For safety reasons unsuitable extinguishing agents:** use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Special hazards arising from the substance or mixture:** in case of fire formation of carbon oxides and other toxic gases/vapors is possible.

**Special protective equipment for firefighters:** wear appropriate personal protective equipment.

#### 6. Accidental release measure

**Personal precautions, protective equipment and emergency procedures:** none

**Environmental precautions:** none

**Methods and material for containment and cleaning up:** not applicable

**Additional information:** none

**Reference to other sections:** see section 7 for information on safe handling and section 13 for information on disposal.

#### 7. Handling and storage

**Protections for safe handling:** maintain good safety practice.

**Information about protection against explosions and fires:** paper will burn when exposed to flame. Observe the general rules of industrial fire protection.

**Conditions for safe storage, including any incompatibilities:** 130 TLA <150µm> product should be stored indoors, at temperatures between 18 °C and 25 °C and with a relative humidity of 40 % to 60 %. Longer storage or storage at temperatures over 40°C or over 65% relative humidity can lead to a reduction in image contrast through lower brightness or lower performance of the thermal image lifetime. Direct sunlight, fluorescent and similar UV light sources should be avoided. Store in area away from heat or open flame and excessive moisture.

## 8. Exposure controls/personal protection

<b>Control parameters:</b>	not applicable
<b>Engineering controls:</b>	not applicable
<b>General protective and hygienic measures:</b>	when using do not eat, drink or smoke.
<b>Breathing equipment:</b>	not applicable
<b>Protection of hands:</b>	if necessary, wear gloves to prevent cuts, edges may be sharp and can cut skin. Wash hands after handling.
<b>Eye protection:</b>	not applicable
<b>Body protection:</b>	not applicable

## 9. Physical and chemical properties

<b>Physical state:</b>	solid
<b>Colour:</b>	white
<b>Odour:</b>	practically odourless
<b>pH-value:</b>	not determined
<b>Melting point/Melting range:</b>	not determined
<b>Decomposition temperature:</b>	not determined
<b>Ignition temperature:</b>	> 200 °C
<b>Flash point:</b>	not applicable
<b>Self-inflammability:</b>	not applicable
<b>Danger of explosion:</b>	product is non potentially explosive
<b>Relative density (23 °C):</b>	approx. 0.9 g/cm <sup>3</sup>
<b>Water solubility:</b>	not soluble
<b>Viscosity:</b>	not applicable
<b>Other information:</b>	no further relevant information available

## 10. Stability and reactivity

The product is stable and not reactive.  
No thermal decomposition when stored and handled correctly.

## 11. Toxicological information

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## 12. Ecological information

The product does not pose any known risk for the environment. It is recommended to dispose for recycling after use.

## 13. Disposal considerations

It is possible to recycle 130 TLA <150µm> product by using a de-inking process. Secondary fibres with a relatively high brightness can be obtained. It is not necessary to keep 130 TLA <150µm> product separate from other paper waste. The usual methods of waste treatment can be used, i.e. incineration or disposal. Never discharge directly into sewers or surface waters. Disposal must be made according to official regulations.

## 14. Transport information

Not classified as hazardous for transport (ADR/RID, ADNR, IMDG, ICAO/IATA).

## 15. Regulatory information

This product is not subject to identification regulations under EU directives.

## 16. Other information

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The product is not to be used for other purposes than those specified under section 1 without first obtaining written handling instruction.

It is always the responsibility of the user to take all necessary steps in order to fulfill the demand laid down in the local rules and legislation. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

\* The present product is an article in the sense of regulation (EC) No. 1907/2006 (REACH). According to article 31 and annex II of the REACH regulation there is no legal obligation to compile safety data sheets for articles. In order to meet the increasing customer demand and to promote the risk-prevention, this safety data sheet is provided on voluntary basis in dependence on REACH. The information in this safety data sheet is given to ensure safe use and handling of the product and to protect the environment.